
# SPECIFICATION SHEET

## COLLECTION: ASTRA PRODUCT CODE: AX-AST-337-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE

Bath Filler

#### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

#### HANDLES

2 Handle

HOLES

2 Hole

## MOUNTING

Deck Mounted

#### WITH WATER FLOW STRAIGHTENER

Yes

CONNECTIONS / FITTINGS 2 x 3/4" male threaded connections DECK HOLE DRILL DIAMETER 27mm

MINIMUM OPERATING PRESSURE 0.2 Bar LP

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

## COLLECTION: ASTRA PRODUCT CODE: AX-AST-337-CP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

### SPARE PARTS

Cold Ceramic cartridge C-201-RTC Hot Ceramic cartridge C-201-LTC

FINISH

Chrome

### COLLECTION NAME

Astra

## GUARANTEE

10 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# TECHNICAL DRAWING

## COLLECTION: ASTRA PRODUCT CODE: AX-AST-337-CP



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

