
SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-233-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HANDLES

Single Lever

MOUNTING

Floor Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

Yes

WITH THERMOSTATIC TECHNOLOGY

Νo

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-233-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

Clearance 914mm from floor to spout

CONNECTIONS / FITTINGS

2 x 1/2" female threaded connections

SPARE PARTS


Ceramic cartridge C-001-N40

STYLE

Oval

FINISH

Chrome



www.vado.com





SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-233-CP

COLLECTION NAME

Life

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com





TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-233-CP

