
SPECIFICATION SHEET

COLLECTION: EKKO

PRODUCT CODE: AX-EKO-110-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bidet Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

CONNECTIONS / FITTINGS

2 x 1/2" nut x 400mm flexipipe connections

MOUNTING

Deck Mounted

WASTE

With Pop-up Waste

DECK HOLE DRILL DIAMETER

32mm

HANDLES

Single Lever

WITH WATER FLOW AERATOR

Yes

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: EKKO

PRODUCT CODE: AX-EKO-110-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

SPARE PARTS

Ceramic cartridge W-004-N35

FINISH

Chrome

COLLECTION NAME

Ekko

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com






TECHNICAL DRAWING

COLLECTION: EKKO

PRODUCT CODE: AX-EKO-110-CP





www.vado.com



