
# SPECIFICATION SHEET

COLLECTION: KNURLED X FUSION PRODUCT CODE: IND-ORI200/SB-XGBK





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Basin Mixer

## **FINISH**

Gold/Black

## **COLLECTION NAME**

Knurled X Fusion

# GUARANTEE

15 Year Guarantee

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## HANDLES

Single Lever

## MOUNTING

Deck Mounted

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: KNURLED X FUSION PRODUCT CODE: IND-ORI200/SB-XGBK

## RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

## WITH ECOTURN COLD START TECHNOLOGY

No

## WITH WATER FLOW STRAIGHTENER

Νo

## WITH WATER FLOW AERATOR

Yes

## **CONNECTIONS / FITTINGS**

2 x 1/2" 400mm flexipipe connections

## DECK HOLE DRILL DIAMETER

35mm

## SPARE PARTS

ceramic cartridge C-010-N25

## STYLE

Knurled








# TECHNICAL DRAWING

COLLECTION: KNURLED X FUSION PRODUCT CODE: IND-ORI200/SB-XGBK



tel: 01934 744466 email: sales@vado.com

www.vado.com



