
SPECIFICATION SHEET

COLLECTION: ARRONDI

PRODUCT CODE: ARR-201-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

FINISH

 ${\sf Chrome}$

COLLECTION NAME

Arrondi

GUARANTEE

15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HOLES

3 Hole

MOUNTING

Deck Mounted

tel: 01934 744466 email: sales@vado.com

www.vado.com





SPECIFICATION SHEET

COLLECTION: ARRONDI

PRODUCT CODE: ARR-201-CP

RECOMMENDED FLOW REGULATOR

5 l/min flow regulator fitted as standard

WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH SWIVEL SPOUT

with Fixed Spout

WITH WATER FLOW AERATOR

Yes

CONNECTIONS / FITTINGS

2 x 1/2" x 1/2" 300mm flexipipe connections 1/2" male x 1/2" male x 1/2" female T connection

DECK HOLE DRILL DIAMETER

30mm

SPARE PARTS

cold ceramic cartridge FL-202-LTC hot ceramic cartridge FL-202-RTC

STYLE

Round, Traditional, Contemporary, Cross Handles

NOTES

1/2" ceramic disc 1/4 turn valves








TECHNICAL DRAWING

COLLECTION: ARRONDI

PRODUCT CODE: ARR-201-CP





www.vado.com



