
SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS, SIRKEL
PRODUCT CODE: AX-SIR-149T-RRK/B-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE
Shower Column

VALVE TYPE
Exposed

WITH AIR-INJECTION TECHNOLOGY
No

WITH EASY-FIT BRACKETS
Yes

WITH CROSS-SPRAY TECHNOLOGY
No

WITH INTEGRATED DIVERTER
Yes

ADJUSTABLE FIXING FOR EASY RETRO FIT
Yes

WITH THERMOSTATIC TECHNOLOGY
Yes

WITH SHOWER KIT
Yes

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS, SIRKEL
PRODUCT CODE: AX-SIR-149T-RRK/B-CP

WITH WATER FLOW STRAIGHTENER
No

INSTALLATION TOLERANCES
470mm height adjustment tolerance min 800mm - max 1270mm

HANDLES
2 Handle

SPARE PARTS
Thermostatic Cartridge S-701-31S Diverter Cartridge SG-801-25/2SX

MOUNTING
Wall Mounted

PLUMBING SYSTEM SUITABILITY
Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME
Showering Solutions, Sirkel

FINISH
Chrome

MINIMUM OPERATING PRESSURE
1.0 Bar MP


MAXIMUM OPERATING PRESSURE
5.0 Bar HP

GUARANTEE
10 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS, SIRKEL
PRODUCT CODE: AX-SIR-149T-RRK/B-CP



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO