
SPECIFICATION SHEET

COLLECTION: AXBRIDGE
PRODUCT CODE: BC-AXB-110-BN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE
Bidet Mixers

PLUMBING SYSTEM SUITABILITY
Gravity System, Pumped System, Combination Boiler, Pressurised System

CONNECTIONS / FITTINGS
2 x 1/2" 400mm flexipipe connections

MOUNTING
Deck Mounted

WASTE
With Pop-up Waste

DECK HOLE DRILL DIAMETER
35mm

WITH WATER FLOW AERATOR
No

MAXIMUM OPERATING PRESSURE
5.0 Bar HP

MINIMUM OPERATING PRESSURE
0.2 Bar LP

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: AXBRIDGE
PRODUCT CODE: BC-AXB-110-BN

RECOMMENDED FLOW REGULATOR

FR-FLEXI/5-PLA (2 are required)

SPARE PARTS

Cold ceramic cartridge FL-501-RTChot ceramic cartridge FL-501-LTC

STYLE

Traditional, Cross Handles

FINISH

Bright Nickel

COLLECTION NAME

Axbridge

GUARANTEE

15 Year Guarantee


tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

TECHNICAL DRAWING

COLLECTION: AXBRIDGE
PRODUCT CODE: BC-AXB-110-BN



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO