
SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-209-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

FINISH

Chrome

COLLECTION NAME

Axbridge

GUARANTEE

15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HOLES

3 Hole

MOUNTING

Wall Mounted

tel: 01934 744466 email: sales@vado.com www.vado.com

m WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-209-CP

INSTALLATION TOLERANCES

min-max wall mount 56-81mm

RECOMMENDED FLOW REGULATOR

FR-106/6-PLA

WITH ECOTURN COLD START TECHNOLOGY

Νo

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

Nο

CONNECTIONS / FITTINGS

2 x 1/2" inlets

SPARE PARTS

cold ceramic cartridge FL-501-RTC hot ceramic cartridge FL-501-LTC

STYLE

Traditional, Lever Handles







TECHNICAL DRAWING

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-209-CP

