


SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-123T-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixers

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

MOUNTING

Wall Mounted

WITH INTEGRATED DIVERTER

Yes

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

No

WITH THERMOSTATIC TECHNOLOGY

Yes

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-123T-CP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

2 x 1/2" to 3/4" threaded offset connectors

SPARE PARTS

Diverter cartridge C-801-33/2P, thermostatic cartridge V-701-34S

STYLE

Oval

FINISH

Chrome

COLLECTION NAME

Life

GUARANTEE

15 Year Guarantee



TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-123T-CP

