


SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Pressurised System

HOLES

4 Hole

MOUNTING

Deck Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

No

WITH THERMOSTATIC TECHNOLOGY

No

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P

MINIMUM OPERATING PRESSURE

3.0 Bar HP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

2 x 10mm (1/2") flexipipe connection on valve 2 x 1/2"x1/2" flexipipe 1 x 1/2"x1/2" 150cm shower hose 4 x 600mm flexipipe connections

DECK HOLE DRILL DIAMETER

Valve: 32mm Spout: 28mm Diverter: 28mm Handset: 28mm

SPARE PARTS

ceramic cartridge CAR-K40A

STYLE

Oval

FINISH

Chrome



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P

COLLECTION NAME

Life

GUARANTEE

15 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-132-C/P

