

SPECIFICATION SHEET

COLLECTION: LIFE
PRODUCT CODE: LIF-140-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE
Bath Spouts

PLUMBING SYSTEM SUITABILITY
Gravity System, Pumped System, Combination Boiler, Pressurised System

MOUNTING
Wall Mounted

WALL HOLE DRILL DIAMETER
22mm

CONNECTIONS / FITTINGS
1/2" x 45mm male threaded connection

MINIMUM OPERATING PRESSURE
0.2 Bar LP

MAXIMUM OPERATING PRESSURE
5.0 Bar HP

WITH WATER FLOW STRAIGHTENER
No

STYLE
Oval

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: LIFE
PRODUCT CODE: LIF-140-C/P

NOTES

Easy cut thread at 20mm and 40mm

FINISH

Chrome

COLLECTION NAME

Life

GUARANTEE

15 Year Guarantee


tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

TECHNICAL DRAWING

COLLECTION: LIFE
PRODUCT CODE: LIF-140-C/P



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO