
SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-200F/SB-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

FINISH

Chrome

COLLECTION NAME

Phase

GUARANTEE

15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HANDLES

Single Lever

MOUNTING

Deck Mounted

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-200F/SB-C/P

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

WITH ECOTURN COLD START TECHNOLOGY

WITH WATER FLOW STRAIGHTENER

WITH WATER FLOW AERATOR

CONNECTIONS / FITTINGS

2 x 1/2" 450mm flexipipe connections

DECK HOLE DRILL DIAMETER

35mm

SPARE PARTS


ceramic cartridge C-009-N35R



TECHNICAL DRAWING

COLLECTION: PHASE

PRODUCT CODE: PHA-200F/SB-C/P



tel: 01934 744466 email: sales@vado.com

www.vado.com



