
SPECIFICATION SHEET

COLLECTION: CAMEO

PRODUCT CODE: CAM-123T-MB





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Combination Boiler

HANDLES

2 Handle

HOLES

2 Hole

MOUNTING

Wall Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

Yes

WITH SHOWER KIT

Νo

WITH THERMOSTATIC TECHNOLOGY

Yes

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: CAMEO

PRODUCT CODE: CAM-123T-MB

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

3/4" easy-fit brackets included

SPARE PARTS

Thermostatic cartridge V-704-34S. Diverter cartridge C-801-33/2P

STYLE

Square

FINISH

Matt Black

COLLECTION NAME

Cameo









SPECIFICATION SHEET

COLLECTION: CAMEO

PRODUCT CODE: CAM-123T-MB

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com







TECHNICAL DRAWING

COLLECTION: CAMEO

PRODUCT CODE: CAM-123T-MB







www.vado.com



