
# SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-137-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Bath Filler

#### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

### **HOLES**

2 Hole

# MOUNTING

Deck Mounted

# WITH WATER FLOW STRAIGHTENER

Yes

# **CONNECTIONS / FITTINGS**

2 x 3/4" 52.5mm male threaded connections

#### DECK HOLE DRILL DIAMETER

2 x 28-30mm

# MINIMUM OPERATING PRESSURE

0.2 Bar LP

# MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com



# SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-137-C/P

# SPARE PARTS

cold ceramic cartridge C-302-RTC hot ceramic cartridge C-302-LTC

**FINISH** 

Chrome

**COLLECTION NAME** 

Phase

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com





# TECHNICAL DRAWING

COLLECTION: PHASE

PRODUCT CODE: PHA-137-C/P

