


# SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-130+K-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## WITH EASY-FIT BRACKETS

No

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## WITH SHOWER KIT

Yes

## HOLES

2 Hole

## WITH THERMOSTATIC TECHNOLOGY

No

## MOUNTING

Deck Mounted

## FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

## WITH INTEGRATED DIVERTER

No

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-130+K-C/P

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

2 x 3/4" 52.5mm male threaded connections

DECK HOLE DRILL DIAMETER

2 x 28-30mm

SPARE PARTS

cold ceramic cartridge C-302-RTC hot ceramic cartridge C-302-LTC

FINISH

Chrome

COLLECTION NAME

Phase



# SPECIFICATION SHEET

COLLECTION: PHASE

PRODUCT CODE: PHA-130+K-C/P

## GUARANTEE

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: PHASE

PRODUCT CODE: PHA-130+K-C/P

