


# SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-237-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Filler

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## HANDLES

2 Handle

## MATERIAL

Brass

## MOUNTING

Deck Mounted

## WITH INTEGRATED WASTE

None

## WITH WATER FLOW STRAIGHTENER

Yes

## WITH SWIVEL SPOUT

with Fixed Spout

## CONNECTIONS / FITTINGS

British standard 180mm fixing centres allowing easy retro fit, Water supply requires 3/4" connection.

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: AVA  
PRODUCT CODE: AX-AVA-237-CP

## DECK HOLE DRILL DIAMETER

Deck mount drill hole diameter 28-40mm.

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

## FLOW RATE AT 3.0 BAR FLOW PRESSURE

Bath fill at 3 bar water pressure allows for 57.1 l/m, at 1 bar allows for 32.9 l/m

## SPARE PARTS

Cold ceramic cartridge C-302-RTC, Hot ceramic cartridge C-302-LTC

## STYLE

Round

## FINISH

Chrome

## COLLECTION NAME

Ava

## GUARANTEE

10 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: AVA

PRODUCT CODE: AX-AVA-237-CP

