
SPECIFICATION SHEET

COLLECTION: AVA
PRODUCT CODE: AX-AVA-237-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE
Bath Fillers

PLUMBING SYSTEM SUITABILITY
Gravity System, Pumped System, Combination Boiler, Pressurised System

HANDLES
2 Handle

MATERIAL
Brass

MOUNTING
Deck Mounted

WITH INTEGRATED WASTE
None

WITH WATER FLOW STRAIGHTENER
Yes

WITH SWIVEL SPOUT
with Fixed Spout

CONNECTIONS / FITTINGS
British standard 180mm fixing centres allowing easy retro fit, Water supply requires 3/4" connection.

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: AVA
PRODUCT CODE: AX-AVA-237-CP

DECK HOLE DRILL DIAMETER
Deck mount drill hole diameter 28-35mm.

MINIMUM OPERATING PRESSURE
0.2 Bar LP

FLOW RATE AT 3.0 BAR FLOW PRESSURE
Bath fill at 3 bar water pressure allows for 57.1 l/m, at 1 bar allows for 32.9 l/m

SPARE PARTS
Cold ceramic cartridge C-302-RTC, Hot ceramic cartridge C-302-LTC

STYLE
Round

FINISH
Chrome


COLLECTION NAME
Ava

GUARANTEE
10 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

TECHNICAL DRAWING

COLLECTION: AVA
PRODUCT CODE: AX-AVA-237-CP



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO