
SPECIFICATION SHEET

COLLECTION: AVA
PRODUCT CODE: AX-AVA-230+K-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE
Bath Shower Mixers

PLUMBING SYSTEM SUITABILITY
Gravity System, Pumped System, Combination Boiler, Pressurised System

HANDLES
2 Handle

MATERIAL
Brass

MOUNTING
Deck Mounted

WITH INTEGRATED DIVERTER
Yes

WITH EASY-FIT BRACKETS
No

WITH SHOWER KIT
Yes

WITH SWIVEL SPOUT
with Fixed Spout

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: AVA
PRODUCT CODE: AX-AVA-230+K-CP

WITH THERMOSTATIC TECHNOLOGY
No

FOR USE WITH BATH FILLER WASTE AND OVERFLOW
No

MINIMUM OPERATING PRESSURE
0.5 Bar LP

FLOW RATE AT 3.0 BAR FLOW PRESSURE
Bath fill at 3 bar water pressure allows for 48 l/m, at 1 bar allows for 27.2 l/m. Showering at 3 bar water pressure allows for 22.4 l/m, at 1 bar allows for 11.5 l/m.

WITH BATH SPOUT
Yes

WITH AIR-INJECTION TECHNOLOGY
No

WITH WATER FLOW STRAIGHTENER
Yes

WITH WATER FLOW AERATOR
No

CONNECTIONS / FITTINGS
British standard 180mm fixing centres allowing easy retro fit, Water supply requires 3/4" connection.

DECK HOLE DRILL DIAMETER
28-35mm

SPARE PARTS
Cold ceramic cartridge C-302-RTC, Hot ceramic cartridge C-302-LTC, Neoperl twist lock diverter N-0054-01-CP.

STYLE
Round

tel: 01934 744466
email: sales@vado.com
www.vado.com

SPECIFICATION SHEET

COLLECTION: AVA
PRODUCT CODE: AX-AVA-230+K-CP

FINISH

Chrome

COLLECTION NAME

Ava

GUARANTEE

10 Year Guarantee


tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

TECHNICAL DRAWING

COLLECTION: AVA
PRODUCT CODE: AX-AVA-230+K-CP



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO