


# SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-137M-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Filler

## PLUMBING SYSTEM SUITABILITY

Pumped System

## HANDLES

Single Lever

## MATERIAL

Brass

## MOUNTING

Deck Mounted

## WITH INTEGRATED WASTE

None

## WITH WATER FLOW STRAIGHTENER

Yes

## WITH SWIVEL SPOUT

with Fixed Spout

## CONNECTIONS / FITTINGS

2 x 1/2" nut x 400mm flexipipe connections

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-137M-CP

## DECK HOLE DRILL DIAMETER

35-38mm

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

## FLOW RATE AT 3.0 BAR FLOW PRESSURE

Delivers 29 l/m (spout) flow rate at 3 bar water pressure

## SPARE PARTS

Cartridge W-001-N40

## STYLE

Round

## NOTES

Fitted with Neoperl water flow straightener

## FINISH

Chrome

## COLLECTION NAME

Ava

## GUARANTEE

10 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: AVA

PRODUCT CODE: AX-AVA-137M-CP

