


SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: SAF-123T-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

HANDLES

2 Handle

MOUNTING

Wall Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

Yes

WITH SHOWER KIT

No

WITH THERMOSTATIC TECHNOLOGY

Yes

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: SAF-123T-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, diverter cartridge C-801-33/2P

STYLE

Round

FINISH

Chrome

COLLECTION NAME

Safari

GUARANTEE

15 Year Guarantee



TECHNICAL DRAWING

COLLECTION: SAFARI
PRODUCT CODE: SAF-123T-CP

