SPECIFICATION SHEET

COLLECTION: DX CELSIUS
PRODUCT CODE: DX-173252-CELSQ-CP



SHOWER TYPE
Shower Packages

COLLECTION NAME
DX Celsius

FINISH
Chrome

MINIMUM OPERATING PRESSURE
1.0 Bar MP

MAXIMUM OPERATING PRESSURE
5.0 Bar HP

GUARANTEE
15 Year Guarantee

PLUMBING SYSTEM SUITABILITY
Pumped System, Combination Boiler, Pressurised System

SPARE PARTS
thermostatic cartridge V-704-34S diverter cartridge C-803-33X/3X

CONNECTIONS / FITTINGS
2 x 3/4" female inlets 3 x 3/4" female outlets

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: DX CELSIUS
PRODUCT CODE: DX-173252-CELSQ-CP

INSTALLATION TOLERANCES
min-max wall mount 70-95mm optimum installation depth 82mm

WITH AIR-INJECTION TECHNOLOGY
No

SHOWER PACKAGE DESCRIPTION
- 3 outlet thermostatic shower valve
- Aquablade 200mm round head and shower arm
- Safari single function shower kit with integrated outlet and optional shroud
- Clic-clac bath filler waste and overflow

KIT COMPRISES
CEL-148D/3/SQ-C/P, AQB-RO/20/SA-C/P, SAF-SFMKWO-CP, WG-81389-C/P

WITH THERMOSTATIC TECHNOLOGY
Yes

NUMBER OF OUTLETS
3 Outlet

VALVE TYPE
Concealed

INCLUDES MORTAR / TILE GUARD
No

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION
Yes


COMPATIBLE WITH STUDFAST
Yes

ADJUSTABLE FIXING FOR EASY RETRO FIT
No

tel: 01934 744466
email: sales@vado.com
www.vado.com

TECHNICAL DRAWING

COLLECTION: DX CELSIUS
PRODUCT CODE: DX-173252-CELSQ-CP



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO