


# SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-149T-RRK-PEW



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## SHOWER TYPE

Shower Column

## WITH AIR-INJECTION TECHNOLOGY

No

## WITH CROSS-SPRAY TECHNOLOGY

No

## ADJUSTABLE FIXING FOR EASY RETRO FIT

No

## WITH SHOWER KIT

Yes

## VALVE TYPE

Exposed

## WITH EASY-FIT BRACKETS

Yes

## WITH INTEGRATED DIVERTER

Yes

## WITH THERMOSTATIC TECHNOLOGY

Yes

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-149T-RRK-PEW

## WITH WATER FLOW STRAIGHTENER

No

## INSTALLATION TOLERANCES

476mm height adjustment tolerance: min 786mm – max 1262mm, 24mm depth adjustment tolerance: min 66mm – max 90mm

## CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, flow cartridge C-801-33/2P

## HANDLES

2 Handle

## STYLE

Round

## MOUNTING

Wall Mounted

## PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

## COLLECTION NAME

Safari

## FINISH

Pewter

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## GUARANTEE


10 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-149T-RRK-PEW



tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE

