
# SPECIFICATION SHEET

## COLLECTION: AXBRIDGE
## PRODUCT CODE: BC-AXB-110-B-BRS






The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE
Bidet Mixers

### PLUMBING SYSTEM SUITABILITY
Gravity System, Pumped System, Combination Boiler, Pressurised System

### CONNECTIONS / FITTINGS
2 x 1/2" 400mm flexipipe connections

### MOUNTING
Deck Mounted

### WASTE
With Pop-up Waste

### DECK HOLE DRILL DIAMETER
35mm

### WITH WATER FLOW AERATOR
No

### MAXIMUM OPERATING PRESSURE
5.0 Bar HP

### MINIMUM OPERATING PRESSURE
0.2 Bar LP

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

# SPECIFICATION SHEET

## COLLECTION: AXBRIDGE
## PRODUCT CODE: BC-AXB-110-B-BRS

RECOMMENDED FLOW REGULATOR

FR-FLEXI/5-PLA (2 are required)

SPARE PARTS

Cold ceramic cartridge FL-501-RTChot ceramic cartridge FL-501-LTC

STYLE

Traditional, Cross Handles

FINISH

Brushed Brass/Black

COLLECTION NAME

Axbridge

GUARANTEE

15 Year Guarantee


tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

# TECHNICAL DRAWING

COLLECTION: AXBRIDGE
PRODUCT CODE: BC-AXB-110-B-BRS




tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO