


# SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-206-B-BRS



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Pillar Tap

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## MOUNTING

Deck Mounted

## STYLE

Traditional, Lever Handles

## DECK HOLE DRILL DIAMETER

22mm

## WITH WATER FLOW STRAIGHTENER

Yes

## SPARE PARTS

Cold ceramic cartridge FL-501-RTC. Hot ceramic cartridge FL-501-LTC

## COLLECTION NAME

Axbridge

## FINISH

Brushed Brass/Black

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-206-B-BRS

RECOMMENDED FLOW REGULATOR

FR-106/5-PLA (2 are required)

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-206-B-BRS

