SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: DX-272250-SAF-PEW



SHOWER TYPE
Shower Packages

COLLECTION NAME
Safari

FINISH
Pewter

MINIMUM OPERATING PRESSURE
1.0 Bar MP

MAXIMUM OPERATING PRESSURE
5.0 Bar HP

GUARANTEE
10 Year Guarantee

PLUMBING SYSTEM SUITABILITY
Pumped System, Combination Boiler, Pressurised System

SPARE PARTS
Thermostatic cartridge: V-704-34S. Diverter cartridge: C-803-33X/3X

CONNECTIONS / FITTINGS
Valve: 2 x 3/4" female inlets, 2 x 3/4" female. Head: 1/2" female inlet. Outlet: 1/2" threaded inlet 1/2" threaded outlet.

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: DX-272250-SAF-PEW

WITH AIR-INJECTION TECHNOLOGY

No

SHOWER PACKAGE DESCRIPTION

Leverless 2 Outlet Concealed Thermostatic Shower Valve (SAF-248D/2-PEW)
260mm (10") Rainfall Shower Head (SAF-HEAD-260-PEW)
Easy-Fit Shower Arm (SAF-EFSA-PEW)
Outlet (SAF-OUTLET-PEW)
Multi Function Slide Rail Kit with 4 Function Handset and 150cm Hose (SAF-MFSRK-PEW)

KIT COMPRISES

1 x Shower Valve, 1 x Shower Head, 1 x Shower Arm, 1 x Outlet, 1 x Multi Function Slide Rail Kit

WITH THERMOSTATIC TECHNOLOGY

Yes

NUMBER OF OUTLETS

2 Outlet

VALVE TYPE

Concealed

INCLUDES MORTAR / TILE GUARD

No

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

COMPATIBLE WITH STUDFAST

No


ADJUSTABLE FIXING FOR EASY RETRO FIT

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

TECHNICAL DRAWING

COLLECTION: SAFARI
PRODUCT CODE: DX-272250-SAF-PEW



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO