SPECIFICATION SHEET

COLLECTION: DX ELEMENTS
PRODUCT CODE: ELE-148D/2/SQ-CP

Flow Rates
(for "mixed" measurements)

SHOWER TYPE
Shower Valve

HANDLES
2 Handle

VALVE TYPE
Concealed

WITH ALL-FLOW FUNCTION
No

STYLE
Cross Handles

WITH INTEGRATED DIVERTER
Yes

ORIENTATION
Vertical

COMPATIBLE WITH STUDFAST
Yes

NUMBER OF OUTLETS
2 Outlet

SPECIFICATION SHEET

COLLECTION: DX ELEMENTS
PRODUCT CODE: ELE-148D/2/SQ-CP

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

Yes

WITH SHOWER KIT

No

INCLUDES MORTAR / TILE GUARD

Yes

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY

Yes

INSTALLATION TOLERANCES

min-max wall mount 70-95mm optimum installation depth 82mm

CONNECTIONS / FITTINGS

2 x 3/4˝ female inlets 2 x 3/4˝ female outlets includes 3/4˝ - 1/2˝ adaptors

SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge C-803-33X/3X

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

DX Elements

FINISH

Chrome

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES

VADO

SPECIFICATION SHEET

COLLECTION: DX ELEMENTS
PRODUCT CODE: ELE-148D/2/SQ-CP

MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

GUARANTEE

15 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES

VADO

TECHNICAL DRAWING

130

70-95

200

3/4"

3/4"

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES

VADO