
SPECIFICATION SHEET

COLLECTION: TE
PRODUCT CODE: TE-149T-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

VALVE TYPE
Exposed

HANDLES
2 Handle

WITH ALL-FLOW FUNCTION
No

WITH INTEGRATED DIVERTER
No

COMPATIBLE WITH STUDFAST
No

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION
No

WITH SHOWER KIT
No

INCLUDES MORTAR / TILE GUARD
No

COMPATIBLE WITH EASY-FIX BRACKETS
No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: TE
PRODUCT CODE: TE-149T-C/P

WITH THERMOSTATIC TECHNOLOGY

No

CONNECTIONS / FITTINGS

3/4" x 1/2" offset connectors

SPARE PARTS

thermostatic cartridge V-703-34S flow cartridge TE-002B-1/2

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Te

FINISH

Chrome

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP


GUARANTEE

15 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

TECHNICAL DRAWING

COLLECTION: TE
PRODUCT CODE: TE-149T-C/P



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO