


# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: ZOO-144/2-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Diverter Valve

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## MOUNTING

Deck Mounted, Wall Mounted

## SPARE PARTS

concealed stop valve 3/4" ceramic cartridge ZOO-144/2-CARTRIDGE

## CONNECTIONS / FITTINGS

2 x 1/2" inlets 2 x 1/2" outlets

## INSTALLATION TOLERANCES

min-max wall mount 75-85mm

## FLOW RATE AT 3.0 BAR FLOW PRESSURE

Outlet 1: 31 l/min, Outlet 2: 35 l/min

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: ZOO-144/2-C/P

STYLE

Round

FINISH

Chrome

COLLECTION NAME

Zoo

GUARANTEE


15 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: Z00

PRODUCT CODE: Z00-144/2-C/P



tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE

