


# SPECIFICATION SHEET

COLLECTION: ARRONDI  
PRODUCT CODE: ARR-132T-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## PLUMBING SYSTEM SUITABILITY

Pumped System, Pressurised System

## MOUNTING

Deck Mounted

## WITH INTEGRATED DIVERTER

No

## WITH EASY-FIT BRACKETS

No

## WITH SHOWER KIT

Yes

## WITH SWIVEL SPOUT

with Fixed Spout

## WITH THERMOSTATIC TECHNOLOGY

Yes

## FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: ARRONDI  
PRODUCT CODE: ARR-132T-CP

## MINIMUM OPERATING PRESSURE

3.0 Bar HP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

## WITH BATH SPOUT

Yes

## WITH AIR-INJECTION TECHNOLOGY

No

## WITH WATER FLOW STRAIGHTENER

Yes

## WITH WATER FLOW AERATOR

No

## INSTALLATION TOLERANCES

min-max bath thickness 1-18mm

## CONNECTIONS / FITTINGS

1/2" 700mm flexipipe with right angle connection 2 x 400 1/2" female flexipipe connectors to valve

## DECK HOLE DRILL DIAMETER

Valve: 48mm Diverter: 48mm Spout and Handset: 30mm

## SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-801-33/2SX

## STYLE

Round, Traditional, Contemporary, Lever Handles

# SPECIFICATION SHEET

COLLECTION: ARRONDI  
PRODUCT CODE: ARR-132T-CP

**FINISH**

Chrome

**COLLECTION NAME**

Arrondi

**GUARANTEE**

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: ARRONDI  
PRODUCT CODE: ARR-132T-CP

