
SPECIFICATION SHEET

COLLECTION: ARRONDI
PRODUCT CODE: ARR-132T-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE
Bath Shower Mixers

PLUMBING SYSTEM SUITABILITY
Pumped System, Pressurised System

MOUNTING
Deck Mounted

WITH INTEGRATED DIVERTER
No

WITH EASY-FIT BRACKETS
No

WITH SHOWER KIT
Yes

WITH SWIVEL SPOUT
with Fixed Spout

WITH THERMOSTATIC TECHNOLOGY
Yes

FOR USE WITH BATH FILLER WASTE AND OVERFLOW
No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: ARRONDI
PRODUCT CODE: ARR-132T-CP

MINIMUM OPERATING PRESSURE

3.0 Bar HP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

min-max bath thickness1-18mm

CONNECTIONS / FITTINGS

1/2" 700mm flexipipe with right angle connection 2 x 400 1/2" female flexipipe connectors to valve

DECK HOLE DRILL DIAMETER

Valve: 48mm Diverter: 48mm Spout and Handset: 30mm

SPARE PARTS

thermostatic cartridge V-704-34S diverter catridge FL-801-33/2SX

STYLE

Round, Traditional, Contemporary, Lever Handles

tel: 01934 744466
email: sales@vado.com
www.vado.com

SPECIFICATION SHEET

COLLECTION: ARRONDI
PRODUCT CODE: ARR-132T-CP

FINISH

Chrome

COLLECTION NAME

Arrondi

GUARANTEE

15 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com


WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO

TECHNICAL DRAWING

COLLECTION: ARRONDI
PRODUCT CODE: ARR-132T-CP



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO