
SPECIFICATION SHEET

COLLECTION: TABLET ARRONDI

PRODUCT CODE: TAB-123T/WO-ARR-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HOLES

4 Hole

MOUNTING

Wall Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

Yes

WITH THERMOSTATIC TECHNOLOGY

Yes

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: TABLET ARRONDI

PRODUCT CODE: TAB-123T/WO-ARR-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-FLEXI/9-PLA

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

Nο

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

min-max wall mount 79.5-101.5mm

CONNECTIONS / FITTINGS

2 x 3/4" female inlets includes 3/4" - 1/2" adaptors

SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-801-33/2SX

STYL F

Round, Traditional, Contemporary, Lever Handles

NOTES

supplied with mortar/tile guard



WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: TABLET ARRONDI

PRODUCT CODE: TAB-123T/WO-ARR-CP

FINISH

Chrome

COLLECTION NAME

Tablet Arrondi

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com





TECHNICAL DRAWING

COLLECTION: TABLET ARRONDI

PRODUCT CODE: TAB-123T/WO-ARR-CP

