


# SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRN



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Filler

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## HANDLES

2 Handle

## HOLES

2 Hole

## MOUNTING

Deck Mounted

## WITH WATER FLOW STRAIGHTENER

No

## CONNECTIONS / FITTINGS

2 x 3/4" 48mm threaded inlet connections

## DECK HOLE DRILL DIAMETER

2 x 28-30mm

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRN

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## SPARE PARTS

cold ceramic cartridge C-302-RTC hot ceramic cartridge C-302-LTC

## STYLE

Round, Square

## FINISH

Brushed Nickel

## COLLECTION NAME

Edit

## GUARANTEE

15 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRN

