
SPECIFICATION SHEET

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI200/SB-BRG





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

FINISH

Brushed Gold

COLLECTION NAME

Origins

GUARANTEE

15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HANDLES

Single Lever

MOUNTING

Deck Mounted

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI200/SB-BRG

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

WITH ECOTURN COLD START TECHNOLOGY

WITH WATER FLOW STRAIGHTENER

WITH WATER FLOW AERATOR

CONNECTIONS / FITTINGS

2 x 1/2" 400mm flexipipe connections

DECK HOLE DRILL DIAMETER

35mm

SPARE PARTS


ceramic cartridge C-010-N25



TECHNICAL DRAWING

COLLECTION: ORIGINS

PRODUCT CODE: IND-ORI200/SB-BRG



tel: 01934 744466 email: sales@vado.com

www.vado.com



