
SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-109-C/P





TAP TYPE

Basin Mixer

COLLECTION NAME

0mika

FINISH

Chrome

RECOMMENDED FLOW REGULATOR

4 l/m flow regulator fitted as standard

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar LP

GUARANTEE

15 Year Guarantee

WITH ECOTURN COLD START TECHNOLOGY

No

NOTES

1/4 turn ceramic disc valves

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-109-C/P

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

Yes

CONNECTIONS / FITTINGS

2 x 1/2" female inlets

SPARE PARTS

2 x FL-201-LTC

HOLES

2 Hole

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

tel: 01934 744466 email: sales@vado.com

www.vado.com


WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: OMIKA

PRODUCT CODE: OMI-109-C/P







60-80

