

SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-133-C/P



TAP TYPE

Bath Shower Mixers

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

MOUNTING

Floor Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

Yes

WITH THERMOSTATIC TECHNOLOGY

No

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-133-C/P

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

2 x 1/2" female threaded connections

SPARE PARTS

quarter turn ceramic mix cartridge FL-601-33Q ceramic diverter cartridge FL-803-33/2X

NOTES

clearance 850mm from floor to spout

FINISH

Chrome

COLLECTION NAME

Omika

GUARANTEE

15 Year Guarantee

TECHNICAL DRAWING

COLLECTION: OMIKA

PRODUCT CODE: OMI-133-C/P

