


SPECIFICATION SHEET

COLLECTION: OMIKA
PRODUCT CODE: OMI-135/NS-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

WITH SHOWER KIT

Yes

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

WITH THERMOSTATIC TECHNOLOGY

No

MOUNTING

Deck Mounted

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

Yes

WITH INTEGRATED DIVERTER

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

WITH EASY-FIT BRACKETS

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-135/NS-C/P

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

min-max bath thickness 1mm - 40mm

CONNECTIONS / FITTINGS

1 x 1/2" x 3/8" 200cm shower hose 2 x 3/4" x 3/4" 600mm flexipipe connections

DECK HOLE DRILL DIAMETER

35mm

SPARE PARTS

1/4 turn ceramic disc valves FL-301-RTC FL-301-LTC ceramic diverter cartridge FL-803-33/2X

FINISH

Chrome

COLLECTION NAME

Omika

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: OMIKA
PRODUCT CODE: OMI-135/NS-C/P

GUARANTEE
15 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



TECHNICAL DRAWING

COLLECTION: OMIKA
PRODUCT CODE: OMI-135/NS-C/P

