
SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS
PRODUCT CODE: IND-149RRK-RO-BRG





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE
Shower Column

WITH AIR-INJECTION TECHNOLOGY
Yes

WITH CROSS-SPRAY TECHNOLOGY
No

ADJUSTABLE FIXING FOR EASY RETRO FIT
No

SHOWER HEAD SIZE
250mm round shower head

WITH SHOWER KIT
No

VALVE TYPE
Exposed

WITH EASY-FIT BRACKETS
Yes

WITH INTEGRATED DIVERTER
Yes

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS
PRODUCT CODE: IND-149RRK-RO-BRG

WITH THERMOSTATIC TECHNOLOGY
Yes

WITH WATER FLOW STRAIGHTENER
No

INSTALLATION TOLERANCES
410mm height adjustment tolerance: min 825mm – max 1235mm 21mm depth adjustment tolerance: min 69mm – max 90mm

CONNECTIONS / FITTINGS
Offset connectors included

SPARE PARTS
flow cartridge C-801-33/2P thermostatic cartridge V-704-34S

MOUNTING
Wall Mounted

PLUMBING SYSTEM SUITABILITY
Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME
Showering Solutions

FINISH
Brushed Gold

MINIMUM OPERATING PRESSURE
1.0 Bar MP


MAXIMUM OPERATING PRESSURE
5.0 Bar HP

GUARANTEE
15 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS
PRODUCT CODE: IND-149RRK-RO-BRG



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE

VADO