
# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFSRK/RO-ATM-BRN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### SHOWER TYPE

Slide Rail Shower Kit

### **SELF-CLEANING**

No

## SLIDE RAIL LENGTH

805mm slide rail with twist control 900mm overall rail length

### WITH CROSS-SPRAY TECHNOLOGY

No

### ADJUSTABLE FIXING FOR EASY RETRO FIT

No

### WITH TWIST CONTROL

No

### WITH PUSH BUTTON CONTROL

Νo

### WITH HOSE RETAINER

No

# RUB-CLEAN NOZZLES

Yes

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFSRK/RO-ATM-BRN

### **FUNCTIONS**

1

### WITH AIR-INJECTION TECHNOLOGY

Yes

### HOSE

with 150cm smooth hose

### MOUNTING

Wall Mounted

### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

### **COLLECTION NAME**

**Showering Solutions** 

### **FINISH**

Brushed Nickel

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

### MAXIMUM OPERATING PRESSURE

5.0 Bar HP

### **GUARANTEE**

15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com





# TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFSRK/RO-ATM-BRN





www.vado.com



